

DAULAT RAM COLLEGE
UNIVERSITY OF DELHI, DELHI

DRC/75(Q)/2026/320

Dated: 05.06.2026
06

NOTICE INVITING SEALED QUOTATIONS

Sealed quotations are hereby invited from experienced contractors for providing and fixing a new gate (Gate No.4) at the Sports Complex of the College. The sealed quotations addressed to the undersigned should be dropped in the quotation box kept at the Dispatch Section in the Administrative Office of the College on any working day up to 12th June 2026 during office hours (9:00 A.M. to 5:00 P.M.). Normally, the lowest quotation received shall be considered for awarding the work order. However, the competent authority/College Committee reserves the right to place the work order with any other suitable bidder at its discretion, without assigning any reason.

Terms & Conditions

1. The contractor shall use standard quality materials approved by the competent authority.
2. The College reserves the right to reject any or all quotations without assigning any reason.
3. Payment shall be made only after satisfactory completion of the work.
4. Taxes as applicable shall be deducted at source as per Government rules.
5. The contractor shall be solely responsible for ensuring all safety measures during the execution of the work.
6. The work shall be completed within 30 days from the date of issue of the work order. Any delay in completion may attract a penalty as per applicable rules.
7. The quoted rates shall be inclusive of all taxes, labour charges, transportation, loading/unloading, and any other incidental expenses.
8. The contractor should inspect the site before submitting the quotation and satisfy themselves regarding the scope of work.


PRINCIPAL


DAULAT RAM COLLEGE
(UNIVERSITY OF DELHI)

B.O.Q. for providing and fixing New Gate (Gate No.4) Sports Complex

S.Nos.	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
1	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge In cement mortar	Cu.mtr.	1		
2	Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soils as directed, within a lead of 50 m. Ordinary rock	Cu.mtr.	0.9		
3	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :				
a	1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	Cu.mtr.	1		
b	1:4:8 (1 Cement : 4 coarse sand (zone-III) derived from natural sources : 8 graded stone aggregate 40 mm nominal size derived from natural sources)	Cu.mtr.	1		
4	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level :				
a	1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	Cu.mtr.	0.4		
5	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:6 (1 cement : 6 coarse sand)	Cu.mtr.	1		
6	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. Cold twisted bars	kg.	65		
7	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 and for all lift.	Cu.mtr.	0.6		

Cont. P/2



8	Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq.meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge. With cement mortar 1:4 (1cement: 4 coarse sand)	sq.mtr.	15		
9	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works	kg.	780		
10	Centering and shuttering including strutting, propping etc. and removal of form work for : Columns, piers, abutments, pillars, posts and struts	sq.mtr	5		
11	Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. above plinth level up to floor five level, excluding cost of centering, shuttering, finishing and reinforcement : 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	Cu.mtr.	1.7		
12	Tile brick masonry work 5cm thick with common burnt clay F.P.S. (non modular) tile bricks of class designation 10 in cement mortar 1:3 (1 cement : 3 coarse sand) in superstructure above plinth and upto floor five level	sq.mtr	10		
13	Paint with ready mixed red xide zinc chromate primer of approved brand and manufacture on steel galvanised iron/steel works	sq.mtr	15		
14	Painting with synthetic enamel paint of approved brand manufacture of required colour to give an even shade (two or more coats on new work)	sq.mtr	15		
			Total		
			GST@18%		
			Total		

(Rs. _____)

Name and Sign. : _____

Phone/Mobile Nos. _____

GST No. _____

Address _____

